

BIBLIOGRAFIA

- [1] A. V. AHO, J. E. HOPCROFT e J. D. ULLMAN, *The design and analysis of computer algorithms*, Addison-Wesley, Reading, Mass., 1974.
- [2] K. APPEL e W. HAKEN, Every planar map is four colorable, *Ill. J. Math.* **21** (1977), 429-567.
- [3] C. BERGE, *Graphes et hypergraphes*, Dunod, Paris, 1970. Edição revista e traduzida para o inglês: *Graphs and hypergraphs*, North-Holland, Amsterdam, 1973.
- [4] N. BIGGS, *Algebraic graph theory*, Cambridge University Press, Cambridge, 1974.
- [5] M. BLUM, A machine independent theory of the complexity of recursive functions, *J. Assoc. Comput. Mach.* **14** (1967), 332-336.
- [6] J. A. BONDY e U. S. R. MURTY, *Graph theory with applications*, MacMillan, London, 1976.
- [7] A. BORODIN, Computational complexity – theory and practice, em A. V. Aho (ed.), *Currents in the theory of computing*, Prentice Hall, Englewood Cliffs, N. J., 1973, 35-89.
- [8] A. BORODIN e I. MUNRO, *The computational complexity of algebraic and numeric problems*, American Elsevier, New York, 1975.
- [9] R. L. BROOKS, On colouring the nodes of a network, *Proc. Cambridge Philos. Soc.* **37** (1941), 194-197.
- [10] J. BUNCH e J. E. HOPCROFT, Triangular factorization and inversion by fast matrix multiplication, *Math. Comp.* **28** (1974), 231-236.
- [11] S. A. BURR, Generalized Ramsey theory for graphs – a survey, em R. A. Bari e F. Harary (eds.), *Graphs and combinatorics*, Lecture Notes in Mathematics 406, Springer-Verlag, Berlin, 1974, 52-75.
- [12] R. M. BURSTALL, Proving properties of programs by structural induction, *Comput. J.* **12** (1969), 41-48.
- [13] R. G. BUSACKER e T. L. SAATY, *Finite graphs and networks: an introduction with applications*, McGraw-Hill, New York, 1965.
- [14] V. CHVÁTAL e F. HARARY, Generalized Ramsey theory for graphs, *Bull. Amer. Math. Soc.* **78** (1972), 423-426.
- [15] A. H. CLIFFORD e G. B. PRESTON, *The algebraic theory of semigroups*, vol. I e II, American Mathematical Society, Providence, R. I., 1961 e 1967.
- [16] A. COBHAM, The intrinsic computational difficulty of functions, em Y. Bar-Hillel (ed.), *Logic, methodology and philosophy of science*, North-Holland, Amsterdam, 1965, 24-30.
- [17] S. A. COOK, The complexity of theorem-proving procedures, em *Proc. 3rd ACM Symposium on Theory of Computing*, Association for Computing Machinery, New York, 1971, 151-158.
- [18] M. DAVIS, *Computability and unsolvability*, McGraw-Hill, New York, 1958.
- [19] M. DAVIS (ed.), *The undecidable*, Raven Press, New York, 1965.

- [20] M. DAVIS, Hilbert's tenth problem is unsolvable, *Amer. Math. Monthly* **80** (1973), 233-269.
- [21] M. DAVIS e R. HERSCHE, Hilbert's tenth problem, *Sci. Amer.* **299** (1973), 84-91.
- [22] E. W. DIJKSTRA, A note on two problems in connexion with graphs, *Numer. Math.* **1** (1959), 269-271.
- [23] J. EDMONDS, Paths, trees and flowers, *Canad. J. Math.* **17** (1965), 449-467.
- [24] J. EDMONDS, Matroids and the greedy algorithm, *Math. Programming* **1** (1971), 127-136.
- [25] S. EILENBERG, *Automata, languages, and machines*, vol. A, Academic Press, New York, 1974.
- [26] S. EILENBERG, *Automata, languages, and machines*, vol. B, Academic Press, New York, 1976.
- [27] B. ELSPAS, K. N. LEVITT, R. J. WALDINGER e A. WAKSMAN, An assessment of techniques for proving program correctness, *Comput. Surveys* **4** (1972), 97-147.
- [28] P. ERDÖS, Some remarks on the theory of graphs, *Bull. Amer. Math. Soc.* **53** (1947), 292-294.
- [29] P. ERDÖS e J. SPENCER, *Probabilistic methods in combinatorics*, Academic Press, New York, 1974.
- [30] P. ERDÖS e G. SZEKERES, A combinatorial problem in geometry, *Compositio Math.* **2** (1935), 463-470. Reimpresso em P. ERDÖS, *The art of counting, selected writings*, (J. Spencer (ed.)), The MIT Press, Cambridge, Mass., 1973.
- [31] P. ERDÖS e G. SZEKERES, On some extremum problems in elementary geometry, *Ann. Univ. Sci. Budapest. Eötvös Sect. Math.* **3** (1960/61), 53-62. Reimpresso em P. Erdős, *The art of counting, selected writings*, (J. Spencer (ed.)), The MIT Press, Cambridge, Mass., 1973.
- [32] L. EULER, Solutio problematis ad geometriam situs pertinentis, *Commentarii Academiae Petropolitanae* **8** (1736), 128-140. Traduzido para o inglês: The Königsberg bridges, *Sci. Amer.* **189** (1953), 66-70.
- [33] P. FEOFILOFF, *Sobre os números de Ramsey*, Dissertação de Mestrado, Instituto de Matemática e Estatística da Universidade de São Paulo, 1974.
- [34] P. C. FISCHER, Further schemes for combining matrix algorithms, em J. Loeckx (ed.), *Automata, languages and programming*, Lecture Notes in Computer Science **14**, Springer-Verlag, Berlin, 1974, 428-436.
- [35] R. FRUCHT, Graphs of degree three with a given abstract group, *Canad. J. Math.* **1** (1949), 365-378.
- [36] A. GINZBURG, *Algebraic theory of automata*, Academic Press, New York, 1968.
- [37] G. R. GIRAUD, Une généralisation des nombres et de l'inégalité de Schur, *C. R. Acad. Sci. Paris Ser. A* **266** (1968), 437-440.
- [38] K. GODEL, Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme I, *Monatshefte für Mathematik und Physik* **38** (1931), 173-198. Traduzido para o inglês em M. Davis (ed.), *The undecidable*, Raven Press, New York, 1965, 5-38.
- [39] H. H. GOLDSTINE, *The computer from Pascal to von Neumann*, Princeton University Press, Princeton, N. J., 1972.

- [40] R. L. GRAHAM e B. L. ROTHSCHILD, Ramsey's theorem for n-parameter sets, *Trans. Amer. Math. Soc.* **159** (1971), 257-292.
- [41] J. E. GRAVER e J. YACKEL, Some graph theoretic results associated with Ramsey's theorem, *J. Combinatorial Theory* **4** (1968), 125-175.
- [42] J. A. GREEN e D. REES, On semigroups in which $x^r = x$, *Proc. Cambridge Philos. Soc.* **48** (1952), 35-40.
- [43] R. E. GREENWOOD e A. M. GLEASON, Combinatorial relations and chromatic graphs, *Canad. J. Math.* **7** (1955), 1-7.
- [44] M. HALL JR., An algorithm for distinct representatives, *Amer. Math. Monthly* **63** (1956), 716-717.
- [45] M. HALL JR., *Combinatorial theory*, Blaisdell Pu. Co., Waltham, Mass., 1967.
- [46] P. HALL, On representatives of subsets, *J. London Math. Soc.* **10** (1935), 26-30.
- [47] P. HALMOS, *Naive set theory*, van Nostrand Reinhold, New York, 1960. Traduzido para o português: *Teoria ingênua dos conjuntos*, Editora da Universidade de São Paulo e Editora Polígono, São Paulo, 1970.
- [48] P. HALMOS e H. E. VAUGHAN, The marriage problem, *Amer. J. Math.* **72** (1950), 214-215.
- [49] F. HARARY, *Graph theory*, Addison-Wesley, Reading, Mass., 1969.
- [50] F. HARARY, R. Z. NORMAN e D. CARTWRIGHT, *Structural models: an introduction to the theory of directed graphs*, John Wiley & Sons, New York, 1965.
- [51] M. A. HARRISON, *Introduction to switching and automata theory*, McGraw-Hill, New York, 1965.
- [52] M. A. HARRISON, *Introduction to formal language theory*, Addison-Wesley, Reading, Mass., 1978.
- [53] J. HARTMANIS e J. E. HOPCROFT, An overview of the theory of computational complexity, *J. Assoc. Comput. Mach.* **18** (1971), 444-475.
- [54] J. HARTMANIS e R. E. STEARNS, Computational complexity of recursive sequences, em *Proc. 5th. IEEE Symposium on Switching Circuits and Logical Design*, Institute of Electrical and Electronics Engineers, Piscataway, N. J., 1964, 82-90.
- [55] J. HARTMANIS e R. E. STEARNS, On the computational complexity of algorithms, *Trans. Amer. Math. Soc.* **117** (1965), 285-306.
- [56] J. E. HOPCROFT e J. D. ULLMAN, *Formal languages and their relation to automata*, Addison-Wesley, Reading, Mass., 1969.
- [57] R. M. KARP, Reducibility among combinatorial problems, em R. E. Miller e J. W. Thatcher (eds.), *Complexity of computer computations*, Plenum Press, New York, 1972, 85-104.
- [58] A. B. KEMPE, On the geographical problem of four colours, *Amer. J. Math.* **2** (1879), 193-204.
- [59] S. C. KLEENE, Representation of events in nerve nets and finite automata, em C. E. Shannon e J. McCarthy (eds.), *Automata studies*, Princeton University Press, Princeton, N. J., 1956, 3-41.
- [60] D. E. KNUTH, *The art of computer programming, vol. 1: Fundamental algorithms*, Addison-Wesley, Reading, Mass., 1968.
- [61] D. E. KNUTH, *The art of computer programming, vol. 2: Seminumerical algorithms*, Addison-Wesley, Reading, Mass., 1969.
- [62] D. E. KNUTH, *The art of computer programming, vol. 3: Sorting and searching*, Addison-Wesley, Reading, Mass., 1973.

276 Aspectos Teóricos da Computação

- [63] D. KONIG, Grafos e matrizes (em húngaro), *Mat. Fiz. Lapok* **38** (1931), 116-119.
- [64] J. B. KRUSKAL JR., On the shortest spanning subtree of a graph and the traveling salesman problem, *Proc. Amer. Math. Soc.* **7** (1956), 48-50.
- [65] C. KURATOWSKI, Sur le problème des courbes gauches en topologie, *Fund. Math.* **15** (1930), 271-283.
- [66] J. C. LAFON, Sur le produit de deux quaternions, *C. R. Acad. Sci. Paris Ser. A* **280** (1975), 665-668.
- [67] J. VAN LEEUWEN e P. VAN EMDE BOAS, Some elementary proofs of lower-bounds in complexity theory, *Publ. Matematisch Centrum IW41/76*, Amsterdam, 1976.
- [68] L. LOVÁSZ, On two minimax theorems in graph theory, *J. Combinatorial Theory Ser. B* **27** (1976), 96-103.
- [69] C. L. LUCCHESI, *A minimax equality for directed graphs*, Ph. D. thesis, University of Waterloo, Waterloo, Ont., 1976.
- [70] C. L. LUCCHESI e D. H. YOUNGER, A minimax theorem for directed graphs, *J. London Math. Soc.* (2) **17** (1978), 369-374.
- [71] M. MACHTEY e P. YOUNG, *An introduction to the general theory of algorithms*, Elsevier North-Holland, New York, 1978.
- [72] S. MACLANE e G. BIRKHOFF, *Algebra*, The Macmillan Co., New York, 1967.
- [73] R. MCNAUGHTON, Symbolic logic for automata, Wright Air Development Division Tech. Note N.º 60-244, Cincinnati, Ohio, 1960.
- [74] R. MCNAUGHTON, Algebraic decision procedures for local testability, *Math. Systems Theory* **8** (1974), 60-76.
- [75] R. MCNAUGHTON e S. PAPERT, *Counter-free automata*, The MIT Press, Cambridge, Mass., 1971.
- [76] A. MANDEL e I. SIMON, On finite semigroups of matrices, *Theor. Comput. Sci.* **5** (1977), 101-111.
- [77] Z. MANNA, *Mathematical theory of computation*, McGraw-Hill, New York, 1974.
- [78] Z. MANNA, S. NESS e J. VUILLEMIN, Inductive methods for proving properties of programs, em *Proc. of an ACM Conference on Proving Assertions about Programs*, SIGPLAN Notices **7** (1972) e SIGACT News **14** (1972), 27-50.
- [79] L. S. MELNIKOV e V. G. VIZING, New proof of Brook's theorem, *J. Combinatorial Theory Ser. B* **7** (1969), 408-409.
- [80] A. R. MEYER e L. J. STOCKMEYER, The equivalence problem for regular expressions with squaring requires exponential space, em *Proc. 13th. IEEE Conference on Switching and Automata Theory*, Institute of Electrical and Electronics Engineers, Piscataway, N. J., 1972, 125-129.
- [81] G. L. MILLER, Riemann's hypothesis and tests for primality, *J. Comput. Systems Sci.* **13** (1976), 300-317.
- [82] K. R. MILLIKEN, Ramsey's theorem with sums or unions, *J. Combinatorial Theory Ser. A* **18** (1975), 276-290.
- [83] M. MINSKY, *Computation: finite and infinite machines*, Prentice-Hall, Englewood Cliffs, N. J., 1967.
- [84] L. MIRSKY, *Transversal theory*, Academic Press, New York, 1971.
- [85] E. F. MOORE (ed.), *Sequential machines: selected papers*, Addison-Wesley, Reading, Mass., 1964.

- [86] J. H. MORRIS JR., Another recursion induction principle, *Comm. ACM* **14** (1971), 351-354.
- [87] P. NAUR (ed.), Revised report on the algorithmic language Algol 60, *Comm. ACM* **6** (1963), 1-17 e *Comput. J.* **5** (1963), 349-367.
- [88] J. NESETRIL e V. RODL, A structural generalization of the Ramsey theorem, *Bull. Amer. Math. Soc.* **83** (1977), 127-128.
- [89] P. S. NOVIKOV, On the algorithmic insolvability of the word problem in group theory, *Trudy Mat. Inst. Steklov.* **44** (1955), 1-143. Traduzido para o inglês em *Amer. Math. Soc. Transl. Ser. 2* **9** (1958), 1-122.
- [90] O. ORE, *The four-color problem*, Academic Press, New York, 1967.
- [91] A. M. OSTROWSKI, On two problems in abstract algebra connected with Horner's rule, em *Studies presented to R. von Mises*, Academic Press, New York, 1954, 40-48.
- [92] V. YA. PAN, Strassen's algorithm is not optimal: trilinear technique of aggregating, uniting and canceling for constructing fast algorithms for matrix operations, em *Proc. 19th IEEE Symposium on Foundations of Computer Science*, Institute of Electrical and Electronics Engineers, Piscataway, N. J., 1978, 166-176.
- [93] M. S. PATERSON e C. E. HEWITT, Comparative schematology, em *Record of Project MAC Conference on Concurrent Systems and Parallel Computation*, Association for Computing Machinery, New York, 1970, 119-128.
- [94] R. PÉTER, *Rekursive Funktionen*, Akadémiai Kiadó, Budapest, 1951.
- [95] E. L. POST, A variant of a recursively unsolvable problem, *Bull. Amer. Math. Soc.* **52** (1946), 264-268.
- [96] V. R. PRATT, Every prime has a succinct certificate, *SIAM J. Comput.* **4** (1975), 214-220.
- [97] M. O. RABIN, Speed of computation of functions and classification of recursive sets, em *Proc. Third Convention of Scientific Societies*, Israel, 1959, 1-2.
- [98] M. O. RABIN, Degrees of difficulty of computing a function and a partial ordering of recursive sets, Technical Report 2, Hebrew University, Jerusalem, 1960.
- [99] M. O. RABIN e D. SCOTT, Finite automata and their decision problems, *IBM J. Res. Develop.* **3** (1959), 114-125. Reimpresso em E. F. Moore (ed.), *Sequential machines: selected papers*, Addison-Wesley, Reading, Mass., 1964, 63-91.
- [100] F. P. RAMSEY, On a problem of formal logic, *Proc. London Math. Soc. 2nd. Ser.* **30** (1930), 264-286. Reimpresso em F. P. Ramsey, *The foundations of mathematics and other logical essays*, (R. B. Braithwaite (ed.)), Routledge & Kegan Paul, London, 1931, 82-111.
- [101] H. ROGERS JR., *Theory of recursive functions and effective computability*, McGraw-Hill, New York, 1967.
- [102] H. J. RYSER, *Combinatorial mathematics*, The Mathematical Association of America e John Wiley and Sons, 1963.
- [103] T. L. SAATY, Thirteen colorful variations on Guthrie's four-colour conjecture, *Amer. Math. Monthly* **79** (1972), 2-43.
- [104] A. SALOMAA, *Theory of automata*, Pergamon Press, Oxford, 1969.
- [105] A. SCHONHAGE e V. STRASSEN, Schnelle Multiplikation grosser Zahlen, *Computing* **7** (1971), 281-292.
- [106] I. SCHUR, Über die Kongruenz $x^n + y^n = z^n \pmod{p}$, *Jber. Deutsch. Math. Verein.* **25** (1916), 114-117.

- [107] M. P. SCHÜTZENBERGER, On finite monoids having only trivial subgroups, *Information and Control* **8** (1965), 190-194.
- [108] M. P. SCHÜTZENBERGER, On a family of sets related to McNaughton's L-language, em E. R. Caianiello (ed.), *Automata theory*, Academic Press, New York, 1966, 320-324.
- [109] M. P. SCHÜTZENBERGER, *Quelques problemes combinatoires de la theorie des automates* (redigé par J. F. Perrot), Institut de Programmation, Paris, 1967.
- [110] S. SESHU e M. REED, *Linear graphs and electrical networks*, Addison-Wesley, Reading, Mass., 1961.
- [111] J. R. SHOENFIELD, *Mathematical logic*, Addison-Wesley, Reading, Mass., 1967.
- [112] J. R. SHOENFIELD, *Degrees of unsolvability*, North-Holland, Amsterdam, 1971.
- [113] I. SIMON, *Introdução à teoria de complexidade de algoritmos*, Escola de Computação, Instituto de Matemática e Estatística da Universidade de São Paulo, São Paulo, 1979.
- [114] L. J. STOCKMEYER, Planar 3-colorability is polynomial complete, *SIGACT News* **5** (1973), 19-25.
- [115] L. J. STOCKMEYER e A. R. MEYER, Word problems requiring exponential time, em *Proc. 5th ACM Symposium on Theory of Computing*, Association for Computing Machinery, New York, 1973, 1-9.
- [116] V. STRASSEN, Gaussian elimination is not optimal, *Numer. Math.* **13** (1969), 354-356.
- [117] G. SZEKERES, A combinatorial problem in geometry: reminiscences, em P. Erdős, *The art of counting, selected writings*, (J. Spencer (ed.)), The MIT Press, Cambridge, Mass., 1973, xix – xxii.
- [118] B. A. TRAKHTENBROT, Synthesis of logic networks whose operators are described by means of single-place predicate calculus, *Dokl. Akad. Nauk SSSR* **118** (1958), 646-649.
- [119] A. M. TURING, On computable numbers, with an application to the Entscheidungsproblem, *Proc. London Math. Soc. Ser. 2* **42** (1936-37), 230-265 e **43** (1937) 544-546.
- [120] W. T. TUTTE, The factorization of linear graphs, *J. London Math. Soc.* **22** (1947), 107-111.
- [121] W. T. TUTTE, Lectures on matroids, *J. Res. Nat. Bur. Standards Sect. B* **69** (1965), 1-47.
- [122] W. T. TUTTE, *Introduction to matroid theory*, Elsevier, New York, 1971.
- [123] S. M. ULAM, *A collection of mathematical problems*, Wiley Interscience, New York, 1960.
- [124] P. A. S. VELOSO, *Máquinas e linguagens: uma introdução à teoria de autômatos*, Escola de Computação, Instituto de Matemática e Estatística da Universidade de São Paulo, São Paulo, 1979.
- [125] S. A. WALKER e H. R. STRONG, Characterizations of flowchartable recursions, *J. Comput. System Sci.* **7** (1973), 404-447.
- [126] W. D. WALLIS, A. P. STREET e J. S. WALLIS, *Combinatorics: Room squares, sum-free sets, Hadamard matrices*, Lecture Notes in Mathematics 292, Springer-Verlag, Berlin, 1972.

- [127] P. D. WHITING e J. A. HILLIER, A method for finding the shortest route through a road network, *Operational Res. Quart.* **11** (1960), 37-40.
- [128] H. WHITNEY, On the abstract properties of linear dependence, *Amer. J. Math.* **57** (1935), 509-533.
- [129] H. WHITNEY e W. T. TUTTE, Kempe chains and the four colour problem, *Utilitas Math.* **2** (1972), 241-281.
- [130] N. WIRTH, *Systematisches Programmieren*, B. G. Teubner, Stuttgart, 1975. Traduzido para o português: *Programação sistemática*, Editora Campus, Rio de Janeiro, 1978.
- [131] A. C. YAO, An $O(|E| \log \log |V|)$ algorithm for finding minimum spanning trees, *Information Processing Lett.* **4** (1975), 21-23.

