Contents lists available at ScienceDirect

Computational Statistics and Data Analysis

journal homepage: www.elsevier.com/locate/csda

An ExPosition of multivariate analysis with the singular value decomposition in R^{\star}

Derek Beaton*, Cherise R. Chin Fatt, Hervé Abdi*

School of Behavioral and Brain Sciences, University of Texas at Dallas, MS: GR4.1, 800 West Campbell Road, Richardson, TX 75080–3021, USA

ARTICLE INFO

Article history: Received 9 July 2012 Received in revised form 7 November 2013 Accepted 8 November 2013 Available online 15 November 2013

Keywords: Singular value decomposition R Principal components analysis Correspondence analysis Bootstrap Partial least squares

1. An ExPosition

ABSTRACT

ExPosition is a new comprehensive R package providing crisp graphics and implementing multivariate analysis methods based on the singular value decomposition (SVD). The core techniques implemented in *ExPosition* are: principal components analysis, (metric) multidimensional scaling, correspondence analysis, and several of their recent extensions such as barycentric discriminant analyses (*e.g.,* discriminant correspondence analysis), multi-table analyses (*e.g.,* multiple factor analysis, STATIS, and DISTATIS), and non-parametric resampling techniques (*e.g.,* permutation and bootstrap). Several examples highlight the major differences between *ExPosition* and similar packages. Finally, the future directions of *ExPosition* are discussed.

© 2013 Elsevier B.V. All rights reserved.

modeling (Tenenhaus et al., 2005). Finally, more recent extensions include generalized (Takane et al., 2006) and regularized methods (Le Floch et al., 2012). R (R Development Core Team, 2010) provides several interfaces to the svD and its derivatives, but many of these tend to have diverse, and at times idiosyncratic, inputs and outputs and so a more unified package dedicated to the svD could be useful to the R community. *ExPosition* – a portmanteau for *Exploratory* Analysis with the Singular Value Decom*Position* – provides for R a comprehensive set of svD-based methods integrated into a common framework by sharing input and output

The singular value decomposition (svD; Yanai et al., 2011) is an indispensable statistical technique used in many domains, such as neuroimaging (McIntosh and Mišić, 2013), complex systems (Tuncer et al., 2008), text reconstruction (Gomez and Moens, 2012), sensory analyses (Husson et al., 2007), and genetics (Liang, 2007). The svD is so broadly used because it is the core of many multivariate statistical techniques (Lebart et al., 1984), including principal components analysis (PCA; Jolliffe, 2002; Abdi and Williams, 2010a), correspondence analysis (CA; Benzécri, 1973; Hill, 1974; Greenacre, 1984), (metric) multidimensional scaling (MDs; Torgerson, 1958; Borg, 2005), and partial least squares (PLS; Wold et al., 1984; Bookstein, 1994). In turn, these methods have many extensions such as multi-table analyses—*e.g.*, multiple factor analysis, or STATIS (Lavit et al., 1994; Abdi et al., 2012c, 2013b; Bécue-Bertaut and Pagès, 2008)—three-way distance analysis – *e.g.*, DiSTATIS (Abdi et al., 2005) – and numerous variants of PLS (Esposito Vinzi and Russolillo, 2013; Abdi et al., 2013a) that span regression (Tenenhaus, 1998; Abdi, 2010), correlation (McIntosh and Lobaugh, 2004; Krishnan et al., 2011), and path-

* Corresponding authors. E-mail addresses: derekbeaton@utdallas.edu (D. Beaton), herve@utdallas.edu (H. Abdi).







^{*} R code for examples are found in Appendices A and B. Release packages can be found on CRAN at http://cran.r-project.org/web/packages/ExPosition/. Code from this article as well as release and development versions of the packages can be found at the authors' code repository: http://code.google.com/p/exposition-family/.

^{0167-9473/\$ -} see front matter @ 2013 Elsevier B.V. All rights reserved. http://dx.doi.org/10.1016/j.csda.2013.11.006

structures. This suite of packages comprises: ExPosition for one table analyses (*e.g.*, PCA, CA, MDS), TExPosition, for twotable analyses (*e.g.*, barycentric discriminant analyses and PLS), and MExPosition for multi-table analyses (*e.g.*, MFA, STATIS, and DISTATIS). Also included in this suite are InPosition and TInPosition that implement permutation, bootstrap, and cross-validation procedures.

This paper is outlined as follows: Section 2 presents the singular value decomposition and notations, Section 3 describes the differences between *ExPosition* and other packages, Section 4 shows several examples that illustrate features not readily available in other packages, and finally, Section 5 elaborates on future directions. In addition, Appendices A and B include the code referenced in this paper. Throughout the paper the suite of packages is referred to as *ExPosition* or "the *ExPosition* family" and ExPosition as the package specific for one table analyses.

2. The singular value decomposition

Matrices are in upper case bold (*i.e.*, **X**), vectors in lowercase bold (*i.e.*, **x**), and variables in lowercase italics (*i.e.*, *x*). The identity matrix is denoted **I**. Matrices, vectors, or items labeled with $_{1}$ are associated to rows and matrices, vectors, or items labeled with $_{1}$ are associated to columns.

The svD generalizes the eigenvalue decomposition (EVD) to rectangular tables (Abdi, 2007a; Greenacre, 1984; Lebart et al., 1984; Yanai et al., 2011; Jolliffe, 2002; Williams et al., 2010). Specifically, the svD decomposes an *I* by *J* matrix, **X**, into three matrices:

$$\mathbf{X} = \mathbf{P} \Delta \mathbf{Q}^{\mathsf{T}} \quad \text{with } \mathbf{P}^{\mathsf{T}} \mathbf{P} = \mathbf{Q}^{\mathsf{T}} \mathbf{Q} = \mathbf{I}$$
(1)

where Δ is the *L* by *L* diagonal matrix of the singular values, (where *L* is the rank of **X**), and **P** and **Q** are (respectively) the *I* by *L* and *J* by *L* orthonormal matrices of the left and right singular vectors. In the PCA tradition, **Q** is also called a *loading* matrix and a singular value with its corresponding pair of left and right singular vectors define a *component*.

Squared singular values, denoted $\lambda_{\ell} = \delta_{\ell}^2$, are the eigenvalues of both **XX**^T and **X**^T**X**. Each eigenvalue expresses the variance of **X** extracted by the corresponding pair of left and right singular vectors. An eigenvalue divided by the sum of the eigenvalues gives the proportion of the total variance – denoted τ_{ℓ} for the ℓ th component – explained by this eigenvalue, it is computed as:

$$\tau_{\ell} = \frac{\lambda_{\ell}}{\sum \lambda_{\ell}}.$$
(2)

The sets of factor scores for rows (*I* items) and columns (*J* items) are computed as (see Eq. (1)):

$$\mathbf{F}_{\mathbf{I}} = \mathbf{P}\boldsymbol{\Delta} \quad \text{and} \quad \mathbf{F}_{\mathbf{J}} = \mathbf{Q}\boldsymbol{\Delta} \tag{3}$$

for the rows and columns of \mathbf{X} , respectively. Rewriting Eqs. (1) and (3) shows that factor scores can also be computed as a projection of the data matrix on the singular vectors:

$$\mathbf{F}_{\mathbf{I}} = \mathbf{P} \boldsymbol{\Delta} = \mathbf{P} \boldsymbol{\Delta} \mathbf{Q}^{\mathsf{T}} \mathbf{Q} = \mathbf{X} \mathbf{Q} \quad \text{and} \quad \mathbf{F}_{\mathbf{I}} = \mathbf{Q} \boldsymbol{\Delta} = \mathbf{Q} \boldsymbol{\Delta} \mathbf{P}^{\mathsf{T}} \mathbf{P} = \mathbf{X}^{\mathsf{T}} \mathbf{P}.$$
(4)

Eq. (4) also indicates also how to compute factor scores (and loadings) for supplementary elements (a.k.a., "out of sample"; Gower, 1968, see also Section 4.2). There are also additional indices, derived from factor scores, whose function is to guide interpretation. These include *contributions, squared distances to the origin*, and *squared cosines*.

The contribution of an element to a component quantifies the importance of the element to the component. Contributions are computed as the ratio of an element's squared factor score by the component eigenvalues:

$$c_{\mathrm{I}_{\ell,\ell}} = \frac{f_{\mathrm{I}_{\ell,\ell}}^2}{\lambda_{\ell}} \quad \text{and} \quad c_{\mathrm{J}_{j,\ell}} = \frac{f_{\mathrm{J}_{\ell,\ell}}^2}{\lambda_{\ell}}.$$
(5)

Next the squared distances to the origin are computed as the sum of the squared distances of each element:

$$d_{I_{i,\ell}}^{2} = \sum_{\ell} f_{I_{i,\ell}}^{2} \text{ and } d_{J_{j,\ell}}^{2} = \sum_{\ell} f_{J_{j,\ell}}^{2}.$$
 (6)

Finally the squared cosines are the angles of elements from the origin, and indicate the quality of representation of a component to an element:

$$r_{\mathrm{I}i,\ell} = \frac{f_{\mathrm{I}i,\ell}^2}{d_{\mathrm{I}i,\ell}^2} \quad \text{and} \quad r_{\mathrm{J}j,\ell} = \frac{f_{\mathrm{J}j,\ell}^2}{d_{\mathrm{J}j,\ell}^2}.$$
(7)

The generalized svD (GSVD) provides a weighted least squares decomposition of **X** by incorporating constraints, on the rows and the columns (GSVD; Greenacre, 1984; Abdi and Williams, 2010a,b; Abdi, 2007a). These constraints – expressed by positive definite matrices – are, here, called *masses* for the rows and *weights* for the columns. Masses are denoted by an *I* by

Table 1

ExPosition output variables, associated to the svD, common to all techniques. This table uses R's list notation, which includes a \$ preceding a variable name.

SVD matrix or vector	Variable name	Description
Р	\$pdq\$p	Left singular vectors
Q	\$pdq\$q	Right singular vectors
Δ	\$pdq\$Dd	Diagonal matrix of singular values
diag { A }	\$pdq\$Dv	Vector of singular values
diag { A }	\$eigs	Vector of eigenvalues
τ	\$t	Vector of explained variances
m	\$M	Vector of masses (most techniques)
w	\$W	Vector of weights (most techniques)

Table 2	
---------	--

ExPosition output variables common to all the core* methods.

I rows	Item	J columns	
\$fi	Factor scores	\$fj	
\$di	Squared distances	\$dj	
\$ri	Cosines	\$rj	
\$ci	Contributions	\$cj	

I (almost always) diagonal matrix denoted **M** and weights are denoted by a *J* by *J* (often diagonal) matrix denoted **W**. The GSVD decomposes the matrix **X** into three matrices (compare with Eq. (1)):

$\mathbf{X} = \mathbf{P} \Delta \mathbf{Q}^{\mathsf{T}}$ where $\mathbf{P}^{\mathsf{T}} \mathbf{M} \mathbf{P} = \mathbf{Q}^{\mathsf{T}} \mathbf{W} \mathbf{Q} = \mathbf{I}$.

The GSVD generalizes many linear multivariate techniques (given appropriate masses, weights and preprocessing of X) such as CA and discriminant analysis. Note that with the "triplet notation" – which is a general framework to formalize multivariate techniques (see, *e.g.*, Caillez and Pagès, 1976; Thioulouse, 2011; Escoufier, 2007) – the GSVD of X under the constraints of M and W is equivalent to the statistical analysis of the triplet (X, W, M).

3. ExPosition: rationale and features

R has many native functions – e.g., svd(), princomp(), and cmdscale()—and add-on packages—e.g., vegan(Oksanen et al., 2013), ca (Nenadic and Greenacre, 2007), FactoMineR (Lê et al., 2008) and ade4 (Dray and Dufour, 2007) – to perform the svD and the related statistical techniques. The *ExPosition* family has a number of features not available (or not easily available) in current R packages: (1) a battery of inference tests (via permutation, bootstrap, and cross-validation) and (2) several specific svD-based methods. Furthermore, *ExPosition* provides a unified framework for svD-based techniques and therefore was designed around three main tenets: common notation, core analyses, and modularity. The following sections compare other R packages to the *ExPosition* family in order to illustrate *ExPosition*'s specific features.

3.1. Rationale and design principles

There are three fundamental SVD methods: PCA for quantitative data, CA for contingency and categorical data, and MDS for dissimilarity and distance data. Each method has many extensions which typically rely on the same preprocessing pipelines as their respective core methods. Therefore, ExPosition contains three "core" functions: corePCA, coreCA, coreMDS that (respectively) perform the baseline aspects (*e.g.*, preprocessing, masses, weights) of each "core" technique. Each core function is an interface to pickSVD and returns a comprehensive output (see Eqs. (3), (5), (6), and (7)). While corePCA and coreMDS are fairly straightforward implementations of PCA and MDS, coreCA provides some important features not easily found in other packages (*e.g.*, Hellinger, see 3.2.1 for details).

Because all techniques pass through a generalized svD function in ExPosition—*i.e.*, pickSVD—the output from *ExPosition* contains a common structure. The returned output is listed in Table 1. When the size of the data is very large (*i.e.*, when the analysis can be computationally expensive), pickSVD uses the EVD (see Abdi, 2007a, for svD and EVD equivalence). pickSVD decomposes a matrix *after* it has passed through one of the core* methods. The core* methods in *ExPosition* provide more detailed output for the *I* row items and the *J* column items (in Table 2).

3.2. Modularity and the feature set

The *ExPosition* family is partitioned into multiple packages. These partitions serve two purposes: to identify the packages suitable for a given analysis and to afford development independence. Each partition serves a specific analytical concept: ExPosition for one-table analyses, TExPosition for two-table analyses, and MExPosition for multi-table methods. The inference packages (which include, *e.g.*, permutation and bootstrap) follow the same naming convention: InPosition and TInPosition.

(8)

3.2.1. Fixed-effects features

The function coreCA from ExPosition includes several distinct features such as symmetric vs. asymmetric plots (available in ade4 and ca), eigenvalue corrections for MCA (available in ca), and Hellinger analysis (only available through MDs in vegan and ape).

TExPosition includes (barycentric) discriminant analyses and partial least squares methods. The partial least squares methods are derivatives of Tucker's inter-battery analysis (Tucker, 1958; Tenenhaus, 1998), also called Bookstein PLS, PLSsvD or PLS correlation (Krishnan et al., 2011). There are two forms of PLS in TExPosition: (1) an approach for quantitative data (Bookstein, 1994), frequently used in neuroimaging (McIntosh et al., 1996; McIntosh and Lobaugh, 2004) and (2) a more recently developed approach for categorical data (Beaton et al., 2013). The discriminant methods in TExPosition are special cases of PLS correlation: barycentric discriminant analysis (BADA; Abdi et al., 2012ab; St-Laurent et al., 2011; Buchsbaum et al., 2012) for quantitative data and discriminant correspondence analysis (DICA; Williams et al., 2010; Pinkham et al., 2012; Williams et al., 2012) for categorical or contingency data.

MExPosition is designed around the STATIS method. However, there are numerous implementations and extensions of STATIS, such as MFA, ANISOSTATIS, COVSTATIS, CANOSTATIS, and DISTATIS. As of now, MExPosition is the only package to provide an easy interface to all of the STATIS derivatives (see Abdi et al., 2012c).

3.2.2. prettyGraphs

The prettyGraphs package was designed especially to create "publication-ready" graphics for svD-based techniques. All *ExPosition* packages depend on prettyGraphs. prettyGraphs includes standard visualizers (*e.g.*, component maps, correlation plots) as well as additional visualizers not available in other packages (*e.g.*, contributions to the variance, bootstrap ratios). Further, prettyGraphs handles aspect ratio problems found in some multivariate analyses (as noted in Meyners et al., 2013). *ExPosition* provides interfaces to prettyGraphs (*e.g.*, epGraphs, tepGraphs) to allow users more control over visual output, without creating each graphic individually. Finally, prettyGraphs can visualize results from other packages (see Appendix A).

3.2.3. Permutation

Permutation tests in *ExPosition* are implemented *via* the "random-lambda" approach (see *Rnd-Lambda* in Peres-Neto et al., 2005) because it typically performs well, is conservative, and is computationally inexpensive. All these features are critical when analyzing "big data" sets such as those found, for example, in neuroimaging or genomics.

For all *InPosition methods, permutation tests evaluate the "significance" of components. However, it should be noted that other permutation methods (Dray, 2008; Josse and Husson, 2011) may provide better estimates for components selection. For all cA-based and discriminant methods, *ExPosition* tests overall (omnibus) inertia (sum of the eigenvalues). Finally, an R^2 test is performed for the discriminant techniques (BADA, DICA; Williams et al., 2010). Permutation tests similar to these are available in some svD-based analysis packages, such as ade4, FactoMineR, and permute which can be used with vegan.

3.2.4. Bootstrap

The bootstrap method of resampling (Efron and Tibshirani, 1993; Chernick, 2008) is used for two inferential statistics: confidence intervals and bootstrap ratio statistics (a Student's *t*-like statistic; McIntosh and Lobaugh, 2004; Hesterberg, 2011). Bootstrap distributions are created by treating each bootstrap sample as supplementary data to the fixed-effects space.

Bootstrap ratios are performed for all methods to identify the variables that significantly contribute to the variance of a component. Under standard assumptions, these ratios are distributed as a Student's *t* and therefore a "significant" bootstrap ratio will need to have a magnitude larger than a critical value (*e.g.*, 1.96 for a large *N* corresponds to $\alpha = 0.05$). Additionally, for discriminant techniques, confidence (from bootstrap) and tolerance (fixed-effects) intervals are computed for the groups and displayed with peeled convex hulls (Greenacre, 2007). When two confidence intervals do not overlap, the corresponding groups are considered significantly different (Abdi et al., 2009). While some bootstrap methods are available in similar packages, these particular tests are only available in the *ExPosition* packages.

3.3. Leave one out

The *ExPosition* family includes leave-one-out (LOO) cross-validation for classification purposes (Williams et al., 2010). Each observation is, in turn, (1) left out, (2) predicted from out of sample, and then, (3) assigned to a group. While leave-one-out is available from MADE4 and FactoMineR, *ExPosition* uses LOO for classification estimates (*i.e.*, BADA, DICA).

4. Examples of ExPosition

Several brief examples of ExPosition are presented. Each example highlights (1) the specific features of *ExPosition* and, (2) how to interpret the results. Basic set up and code for each analysis are in Appendix B. All examples use an illustrative

data set built into ExPosition called beer.tasting.notes which is an example of one person's personal tasting notes. beer.tasting.notes also includes supplementary data (*e.g.*, additional measures, design matrices). R code and *ExPosition* parameters are presented in monotype font.

First are illustrations of PCA and BADA (sometimes called between class analysis or mean centered PLSC; Baty et al., 2006; Krishnan et al., 2011). However, PCA and BADA are presented via InPosition and TInPosition, as they provide an extensive set of inferential tests unavailable elsewhere. Next, is an illustration of MCA with χ^2 vs. Hellinger analysis. Hellinger is an appropriate choice when χ^2 is too sensitive to population size (Rao, 1995b; Escofier, 1978). Finally, the MExPosition package – which provides an interface to many STATIS derivatives (Abdi et al., 2012c) – is illustrated MExPosition with Distatis: a STATIS generalization of MDS.

4.1. PCA inference battery

PCA is available in ExPosition, like in many other packages. However, InPosition provides two types of inferential analyses. The first are permutation tests (see Section 3.2.3) to determine which, if any, components are significant. The second are bootstrap ratio tests of the measures. The data to illustrate PCA consist of a matrix of tasting notes of 16 flavors (columns) for 29 craft beers (rows) from the United States. Additionally, there is a design matrix (a.k.a. group coded, disjunctive coding) to indicate to which style each beer belongs (according to Alström and Alström, 2012).

In all ExPosition methods, data matrices are passed as DATA. Further, a design matrix (either a single vector or a dummy-coded matrix with the same rows as DATA) is passed as DESIGN and determines the specific colors assigned to each observation from DATA (*i.e.*, observations from the same group will have the same color when plotted). In this analysis, the data are centered (center = TRUE) but not scaled (scale = FALSE). Bootstrap ratios whose magnitude is larger than crit.val are considered significant. The default crit.val is equal to 2 (Abdi, 2007b, analogous to a *t*- or *Z*-score with an associated *p* value approximately equal to 0.05).test.iters permutation and bootstrap samples are computed (in the same loop for efficiency). See Appendix B for code and additional data details.

4.1.1. Interpretation

Many svD-based techniques are visualized with component maps in which row or column factors scores are used as coordinates to plot the corresponding items. On these maps, the distances between data points reflects their similarity. The dimensions can also be interpreted by looking at the items with large positive or negative loadings. In addition, permutation tests provide *p* values that can be used to identify the reliable dimensions.

Fig. 1(a) shows a component map of the row items (beers) colored by their style (automatically selected via prettyGraphs). The component labels display the percentage of explained variance and *p*-values per component. Components 1 and 2 are significant (from the permutation test) and explain 28.587% (p < 0.001) and 19.845% (p < 0.001) of the total variance, respectively. Fig. 1(a) suggests that beers with similar brewing styles cluster together. For example, all of the "saison-farmhouse" are on the right side of Component 1 (in orange). Note that in Fig. 1(a), beers are plotted with circles whose size reflect the beer contribution to the variance (*i.e.*, \$ci) of the components used to draw the map. In PCA, column items (flavors) are in general plotted separately (by default). Fig. 1(b) indicates what flavors (1) are alike and (2) make these beers alike. For example, all the beers at the top of Component 2 (*e.g.*, Consecration, La Folie, and Marrón Acidifié) are sour beers (through barrel aging, wild yeast strains, and/or additional bacteria such as lactobacillus) and this is confirmed by the position of the column "sour" at the top of Component 2 (*c.f.* Fig. 1(b)). By default, two plots for the variables are included for a PCA: (1) the plot in which the loadings serve as coordinates (Fig. 1(b)) and the size of the dots reflect the contributions (*e.g.*,) importance of the variables for the dimensions used, and (2) a plot – called the circle of correlation plot – in which the correlation between the factor scores and the variables are used as coordinates (Fig. 1(c)). The last plot includes a unit circle because the sum of these squared correlations cannot exceed 1. The closer a variable is to the circle, the more "explained" by the dimensions the variable is.

Plotting items as a function of their contributed variance (\$ci or bootstrap ratios) provide immediate visual information about the importance of items. This feature is available through the prettyPlot function in prettyGraphs package. Other visualizations for svD-based analyses do not typically provide this feature. In Fig. 1(b) and (c), the flavors (variables) are colored using their bootstrap ratios (see Table 3). Variables colored in gray do not significantly contribute to either visualized component (*i.e.*, abs(bootstrap ratio) < crit.val). Variables colored with purple significantly contribute to the horizontal axis (here: Component 1) and variables in green significantly contribute to the vertical axis (here: Component 2). Variables colored in red significantly contribute to both plotted components. In sum, Component 1 is defined as acidic vs. sweet (*e.g.*, "citrus fruit" vs. "dark fruit") whereas Component 2 is defined largely by "sour". Some items, such as "hoppy", contribute significantly to both components. The graphs suggest that beers in the lower right quadrant are characterized by "hoppy" and "floral" characteristics.

4.2. BADA inference battery

BADA is illustrated with the same data set as in Section 4.1 because there exist data and design matrices. Because BADA is a discriminant technique, there are more inference tests available than for plain PCA. The additional tests include:

Table 3

Bootstrap ratios for the first two components of the PCA. Bold values indicate bootstrap ratios whose magnitude exceed 2 (*i.e.*, "significant").

	Component 1	Component 2
Alcoholic	-0.506	-0.148
Dark fruit	-3.902	1.632
Citrus fruit	3.082	1.252
Норру	3.357	-2.238
Floral	3.035	-2.282
Spicy	2.345	3.403
Herbal	2.033	-0.541
Malty	-3.529	-2.050
Toffee	-2.764	-2.379
Burnt	-2.255	0.383
Sweet	-3.505	-0.614
Sour	-0.022	4.241
Bitter	1.495	1.013
Astringent	2.009	2.797
Body	-0.496	-1.187
Linger	0.390	-0.060



Fig. 1. (a) Component map with factor scores of beer (rows). (b) Component map with factor scores of flavors (columns). (c) Correlation between flavors (columns) and components (axes). A principal component analysis component map of the observations (rows) on Components 1 and 2. This map features 20 craft beers across 16 styles. Beers are colored by their respective style. Certain styles – such as saisons, sours, and wilds – have unique and consistent flavor profiles within their type. Furthermore, particular beer styles are strongly associated to particular flavors. For example, "Sour" is strongly associated to "Consecration" and "La Folie". (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

(1) classification accuracy, (2) omnibus effect (sum of eigenvalues), (3) bootstrap ratios and confidence intervals for groups, and finally, (4) a squared coefficient statistic (R^2), computed as the $\frac{\text{between-groups variance}}{\text{total variance}}$. This coefficient quantifies the quality of the assignments of the beers to their categories (Williams et al., 2010).

TInPosition uses permutation to generate distributions for (1) components (just as with PCA in InPosition), (2) omnibus inertia (sum of the eigenvalues), and $(3)R^2$. Bootstrap resampling generates distributions to create (1) bootstrap ratios for the measures (just as with PCA in InPosition) and for the groups, and (2) to create confidence intervals around the groups. Finally, classification accuracies are computed for fixed-effects and for random effects (via leave-one-out).

4.2.1. Interpretation

Because BADA is a PCA-based technique, the graphical and numerical outputs are essentially the same as those of PCA with, however, a few important differences. First, BADA plots have both active and supplementary elements: the group averages are active rows (from the decomposed matrix) and the original observations (*e.g.*, the beers) are supplemental rows which are projected onto the component space.

The graphical output for BADA provides tolerance peeled hulls that envelope all or a given proportion of the observations that belong to a group (Fig. 2(a)). Mean confidence intervals for the groups are also plotted with peeled hulls (see Fig. 2(b)). When group confidence intervals, on any (significant) components, do not overlap, groups can be considered significantly different. For example, Fig. 2 shows that "Sour" and "Misc" are significantly different from each group. In contrast "Pale" and "Saison" do not differ from each other. In Fig. 2(a) groups and items are colored based on bootstrap ratios (just as in PCA): gray items do not contribute to either component, purple items contribute to Component 1, green items contribute to Component 2, and red items contribute to both components (see Table 4 for the bootstrap ratio values).

Furthermore, TInPosition performs three separate tests based on permutation resampling. After 1000 permutations, R^2 (reliability of assignment to groups) and omnibus inertia are significant ($R^2 = 0.610$, p < 0.001, $\sum \lambda_{\ell} = 0.390$, p < 0.001, $\sum \lambda_{\ell} = 0.000$, p < 0.000, p > 0.000, p >



Fig. 2. (a) Component map with factor scores of groups and beers. (b) Component map with confidence intervals around the groups. (c) Component scores of measures colored by bootstrap ratio tests. A BADA illustrates which groups are significantly different and which measures help separate groups. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

Bootstrap ratios for the first two components of the BADA. Bold values indicate bootstrap ratios whose magnitude exceed 2 (*i.e.*, "significant").

	Component 1 Component 2	
(a) Flavors		
Alcoholic	-0.189	0.847
Dark fruit	6.789	0.007
Citrus fruit	-2.093	-2.374
Норру	-5.172	0.150
Floral	-3.323	-0.055
Spicy	0.382	-2.999
Herbal	-1.391	-0.506
Malty	2.944	5.103
Toffee	2.617	2.423
Burnt	2.122	0.220
Sweet	1.818	1.836
Sour	5.019	-7.641
Bitter	-0.621	-1.131
Astringent	-0.963	-2.203
Body	-0.570	1.700
Linger	-0.173	-0.386
(b) Groups		
PALE	-6.968	0.565
SOUR	4.734	-5.199
SAISON	-8.905	-3.138
MISC	1.498	4.152

0.001). These tests indicate that the assignment of individuals to groups (R^2) and the overall structure of the data ($\sum \lambda_\ell$) are not due to chance (*i.e.*, "are significant"). Additionally, Components 1 and 2 are significant, (56.457%, p < 0.001; 36.391%, p < 0.001, respectively) whereas Component 3 does not reach significance (7.151%, p = 0.073). Inference results are found in the \$Inference.Data list in output from TInPosition. Finally, TInPosition provides output for leave one out estimates of classification. Classification accuracy for the fixed effects model is 82%, whereas the random effect model (assessed from the leave-one-out procedure) accuracy is 62% (Table 5).

4.3. Hellinger vs. χ^2

There are three substantial differences between the CA and MCA implementations of ExPosition versus those in other packages as ExPosition is currently the only package to offer together: (1) symmetric vs. asymmetric plots (available in ade4 and ca), (2) eigenvalue corrections and adjustments (for MCA only; available in ca), and (3) χ^2 vs. Hellinger distance (only available through MDs in vegan and ape).

Because asymmetric factor scores (Abdi and Williams, 2010b; Greenacre, 2007; Escofier, 1978) and eigenvalue corrections (Benzécri, 1979; Greenacre, 2007) are well known amongst cA users, MCA is illustrated with the lesser known feature: χ^2 distance (the standard) vs. Hellinger distance (Rao, 1995a,b; Escofier, 1978; Cuadras et al., 2006). The Hellinger distance was developed as an alternative for the standard χ^2 distance for cA-based methods to palliate cA's insensitivity to small marginal frequencies (Escofier, 1978; Rao, 1995b). MCA (χ^2 vs. Hellinger) is illustrated with the data used in the PCA

182

Table 5

Classification and classification accuracy with (a) fixed and (b) random effects.

	PALE	SOUR	SAISON	MISC
(a) Fixed (82%)				
PALE	8	0	0	1
SOUR	0	5	0	0
SAISON	1	1	5	2
MISC	0	0	0	6
(b) LOO-CV (62%	6)			
PALE	4	0	2	1
SOUR	0	5	0	0
SAISON	4	1	3	2
MISC	1	0	0	6

and BADA examples. Data were recoded to be categorical ("LOW", "MidLOW", "MidHIGH", or "HIGH") within each column. See Appendix B for details.

4.3.1. Interpretation

Fig. 3(a) and (b) show the χ^2 MCA analysis. Components 1 and 2 are largely driven by Astringent.LOW and Toffee.HIGH which occur only once, and 2 twice, respectively. The data illustrate the relevance of the choice of the Hellinger distance rather than the standard χ^2 : MCA based on the χ^2 distance is very sensitive to outliers (Fig. 3(b)) whereas the analysis with the Hellinger distance is not (Fig. 3(d)). With the Hellinger distance analysis, Chocolate.Bock and Chocolate.Stout are no longer outliers (Fig. 3(c)) and share qualities that make them similar to other beers (Three.Philosophers). In both analyses, beers are grouped together in a meaningful fashion. For example, the Saisons are found in the lower right quadrants; malty and sweet beers are on the left side of the component map (Fig. 3(a) vs. (c)).

4.4. DiSTATIS

MExPosition is a package designed for multi-table analyses based on multiple factor analysis and STATIS. MExPosition uniquely provides direct interfaces (*i.e.*, functions) to many related techniques and specific derivatives of STATIS (*e.g.*, MFA, COVSTATIS, ANISOSTATIS, and DISTATIS). While some packages may include STATIS (*e.g.*, ade4), MFA (*e.g.*, FactoMineR), or DISTATIS (*i.e.*, DistatisR), no other package offers as many derivatives as MExPosition.

Prior analyses (particularly, PCA and MCA) indicate that, sometimes, beers of different styles cluster together. For example: Pliny the Elder (Imperial IPA) and Trade Winds (Tripel) or Endeavour (Imperial IPA) and Sisyphus (Barleywine). These relationships bring up a question: are there aspects of flavor that are not based entirely on style (*e.g.*, particular malts and hops), such as (1) in-house yeast strains and (2) water source? In this analysis, physical distances (in meters) between breweries are used as proxies of water source, yeast strains, and other geographically-sensitive factors. The rjson package (Couture-Beil, 2013) was used to retrieve distances between cities via Google Maps API (Google, Inc., 2013). A distance matrix was derived from beer.tasting.notes with the dist function. There are now two distance matrices that can be analyzed in two different ways: (1) separately with MDs or (2) together with DistATIS. Fig. 4(a) shows the MDs analysis of flavors. This map is interpreted with the same rules as PCA (Fig. 1). Fig. 4(b) shows the MDs analysis of the physical distance between breweries. Either MDs alone provides partial information with respect to beer style or flavor perception.

DISTATIS can analyze both distance matrices simultaneously. Fig. 5(a) shows that DISTATIS reveals some very interesting characteristics of the beers. First, saisons and sours, by comparison to the original analyses, are largely unaffected by physical distance. These styles appear to maintain their flavor properties regardless of location. Second, the remaining beers, across styles, are not as separable as saisons or sours. This suggests that some (standard) beer styles in fact are sensitive to regional factors (*e.g.*, water source).

5. Conclusions

This paper introduced a suite of svD-based analysis packages for R, called *ExPosition*, that offers a simple and unified approach to svD analyses through a set of core functions. While *ExPosition* offers a number of features unavailable elsewhere, there are still several future directions for the *ExPosition* family. First, because very large data sets are now more routine, an obvious step forward is to include faster decompositions. For example, a faster analysis could be achieved via an R interface to more efficient C libraries (Eddelbuettel and Sanderson, in press). Next, MExPosition will include decompositions of each table based on "mixed-"data types (as in Lê et al., 2008; Bécue-Bertaut and Pagès, 2008). That is, if a user provides several contingency tables (CA), a nominal table (MCA), and several scaled tables (PCA), MExPosition will correctly normalize and decompose each table. Massive studies, such as ADNI (http://www.adni-info.org), collect a wide array of mixed data, and as such, methods like mixed data STATIS will become critically important. Additionally, TExPosition will include all partial



Fig. 3. (a) (top left) and (b) (top right) illustrate factor maps in MCA with χ^2 distance factor scores. (c) (bottom left) and (d) (bottom right) illustrate factor maps in MCA with Hellinger distance factor scores.



Fig. 4. (a) (left) shows a MDS analysis of the ratings for each beer. (b) (right) shows a MDS analysis of the physical distances between the brewery.



Fig. 5. (a) (left) shows the compromise analysis between "flavor" and physical distances for our beer data set. (b) (right) is the same data, but each beer is labeled by their city of origin.

least squares correlation (PLSC) techniques (see, *e.g.*, the PLSC software [for neuroimaging] available *only* for Matlab¹). Further, all available *ExPosition* methods will include multi-block projection (Williams et al., 2010; Abdi et al., 2012a,b). Finally, InPosition will (1) extend to MExPosition (*i.e.*, MInPosition), (2) include more inferential methods, such as splithalf resampling (which provides estimates for prediction and reliability; Strother et al., 2002) and, (3) various permutation approaches (Peres-Neto et al., 2005). To note, there exist recent approaches that are more accurate for svD-based techniques (Dray, 2008; Josse and Husson, 2011).

To conclude, *ExPosition* offers a very wide array of features for analyses: it is easily extendable through the core functions (see Appendix A) and implements many descriptive methods (*e.g.*, PCA, CA, MDS), their derivatives (*e.g.*, BADA, STATIS, and DISTATIS), extensive visualizers, and inferential tests (via permutation, bootstrap, and cross-validation). Currently, no other package for R offers such a comprehensive approach for svD-based techniques.

Acknowledgments

Many thanks are due to the editor and associate editor of this journal, one anonymous reviewer, and to Stéphane Dray for their help and constructive comments on previous versions of this paper. Many people have been instrumental in the development and testing of *ExPosition* and for feedback on this paper. See the complete author list (?ExPosition) and acknowledgments [acknowledgements()] in ExPosition.

Appendices

These appendices includes code either (1) to illustrate a feature or (2) required to run the examples.

Appendix A. Illustrations

This section provides illustrations of code to exhibit particular features of ExPosition.

A.1. PLS correlation methods

To illustrate the usefulness of modularity, an analysis core, and common notation, we present the code required to perform a PLSC (Tucker, 1958; McIntosh et al., 1996; Krishnan et al., 2011). In this example, we center and scale (sum of squares equal to 1) two data sets X and Y.

X <- expo.scale(beer.tasting.notes\$sup.data[,1:2],scale="SS1",center=TRUE)

Y <- expo.scale(beer.tasting.notes\$data,scale="SS1",center=TRUE)

Next, we call corePCA() instead of a plain svD. We do this because corePCA provides a comprehensive set out of output that we would otherwise need to compute if we called just svd().

pls.out <- corePCA(t(X) %*% Y)</pre>

¹ By McIntosh, Chau, Lobaugh, and Chen available at http://www.rotman-baycrest.on.ca/index.php?section=84.

Finally, we compute the latent variables (*i.e.*, the rows of the data are projected as supplementary elements):

```
Lx <- supplementalProjection(X,pls.out$fi,Dv=pls.out$pdq$Dv)
Ly <- supplementalProjection(Y,pls.out$fj,Dv=pls.out$pdq$Dv)</pre>
```

A.2. prettyGraphs beyond ExPosition

prettyGraphs is a package designed to create high-quality graphics for the *ExPosition* family. However, prettyGraphs can be used to visualize other data or results from other packages. The following code illustrates how to use prettyPlot from the prettyGraphs package to plots results obtained from analyses performed with the ade4 and FactoMineR packages:

```
#for ade4
data(deug)
deug.dudi <- dudi.pca(deug$tab, center = deug$cent,
scale = FALSE, scan = FALSE)
inertia <- inertia.dudi(deug.dudi,row.inertia = T)$row.abs
prettyPlot(deug.dudi$li,
contributionCircles=TRUE,
contributions=inertia)
# for FactoMineR
data(decathlon)
res.pca <- PCA(decathlon, quanti.sup = 11:12, quali.sup=13,graph=FALSE)
prettyPlot(res.pca$ind$coord,
contributionCircles=TRUE,
contributionS=res.pca$ind$contrib)</pre>
```

Appendix B. Required code

Here, we illustrate how to use a number of features across *ExPosition*. We use the same data set – built into *ExPosition* – across all examples. The data consist of 16 flavor notes (columns) collected on 29 craft beers (rows) brewed in the United States. Included is a design matrix (same constraints as the data), which is group coded (a.k.a. disjunctive coding). The design matrix reflects a particular style per beer (styles according to Alström and Alström, 2012).

B.1. PCA inference battery

The following code runs the example described in Section 4.1. InPosition is introduced with a simple and familiar example: PCA. In order to perform PCA with InPosition, we use the function epPCA.inference.battery(), which calls epPCA() in ExPosition. For this example, we will use the parameters DATA, DESIGN, scale, make_design_nominal and test.iters. Data are initialized as such:

```
these.rows <- which(rowSums(beer.tasting.notes$region.design[,-5])==1)
BEER <- beer.tasting.notes$data[these.rows,]
STYLES<-beer.tasting.notes$style.design[these.rows,]</pre>
```

PcA with inference test battery:

beer.taste.res.style <epPCA.inference.battery(DATA = BEER,
scale = FALSE,
DESIGN = STYLES,
make_design_nominal = FALSE,
test.iters = 1000)</pre>

Fixed effects and plotting data are found in beer.taste.res.style\$Fixed.Data, and inference results are found in beer.taste.res.style\$Inference.Data.

B.2. BADA inference battery

The following code runs the example in Section 4.2. With BADA, we aimed to investigate the properties of beers classified as "pale", "saison", "sour", and "miscellaneous". We use BADA to reveal differences (and similarities) between these beer categories. Data are initialized as:

```
these.rows <- which(rowSums(beer.tasting.notes$region.design[,-5])==1)
BEER <- beer.tasting.notes$data[these.rows,]
DESIGN <- beer.tasting.notes$pale.sour.style[these.rows,]</pre>
```

and analysis is performed as:

```
beer.bada <- tepBADA.inference.battery(DATA = BEER,
scale = FALSE,
DESIGN = DESIGN,
make_design_nominal = FALSE,
test.iters = 1000)
```

B.3. Hellinger vs. χ^2

The following code runs the example in Section 4.3. In this example, we still use the same beer data as in the PCA and BADA examples, but we have transformed the data into categorical data. In fact, the data are inherently ordinal and data may be better analyzed with MCA. For this example, we recoded each column into 4 bins and perform χ^2 MCA and MCA with Hellinger:

```
these.rows <- which(rowSums(beer.tasting.notes$region.design[,-5])==1)
BEER <- beer.tasting.notes$data[these.rows,]
STYLES<-beer.tasting.notes$style.design[these.rows,]
BEER.recode <-
apply(BEER,2,cut,breaks=4,labels=c(``LOW'',``MidLOW'',``MidHIGH'',``HIGH''))
rownames(BEER.recode) <- rownames(BEER)</pre>
```

Then perform χ^2 MCA:

```
mca.res <- epMCA(DATA = BEER.recode,
make_data_nominal = TRUE,
DESIGN = STYLES,
make_design_nominal = FALSE,
correction = NULL)
```

And finally perform Hellinger MCA:

```
hellinger.res <- epMCA(DATA = BEER.recode,
make_data_nominal = TRUE,
DESIGN = STYLES,
make_design_nominal = FALSE,
hellinger = TRUE,
symmetric = FALSE,
correction = NULL)
```

B.4. DiSTATIS

The following code runs the example in Section 4.4. DISTATIS is a generalization of MDS to multiple distance tables. The aim of this analysis is to find if flavor perception is driven by factors beyond style, such as yeast, water source, or "le terroir" (geophysical factors). Data are set up as:

```
these.rows <- which(rowSums(beer.tasting.notes$region.design[,-5])==1)
BEER <- beer.tasting.notes$data[these.rows,]
STYLES<-beer.tasting.notes$style.design[these.rows,]
BEER.DIST <- dist(BEER,upper=TRUE,diag=TRUE)
phys.dist <- beer.tasting.notes$physical.distances</pre>
```

Then we compute two separate MDS analyses. One for perceived flavors:

flav<-epMDS(DATA=BEER.DIST, DESIGN=STYLES, make_design_nominal =FALSE) And the next based on physical distance between breweries:

```
phys.dist <- beer.tasting.notes$physical.distances</pre>
phys<-epMDS(DATA=phys.dist,
DESIGN=STYLES,
make_design_nominal =FALSE)
```

To combine the two matrices in a single analysis, we use DISTATIS

```
table <- c(rep("flavors".ncol(BEER.DIST)).rep("meters".ncol(phys.dist)))
flavor.phys.dist <- cbind(BEER.DIST,phys.dist)</pre>
demo.distatis <- mpDISTATIS(flavor.phys.dist,
DESIGN=STYLES,
make_design_nominal =FALSE,
sorting='No',
normalization='MFA',
table=table)
```

DISTATIS produces a compromise between perceived taste and physical distance between each beer.

References

- Abdi, H., 2007a. Singular value decomposition (SVD) and generalized singular value decomposition (GSVD). In: Salkind, N.J. (Ed.), Encyclopedia of Measurement and Statistics. Sage, Thousand Oaks CA, pp. 907-912.
- Abdi, H., 2007b. Z-scores. In: Salkind, N.J. (Ed.), Encyclopedia of Measurement and Statistics. Sage, Thousand Oaks CA, pp. 1057–1058.
- Abdi, H., 2010. Partial least squares regression and projection on latent structure regression (PLS regression). Wiley Interdiscip. Rev. Comput. Stat. 2 (1), 97-106. Abdi, H., Chin, W., Esposito Vinzi, V., Russolillo, G., Trinchera, L., 2013a. New Perspectives in Partial Least Squares and Related Methods. Springer-Verlag,
- New York. Abdi, H., Dullop, J.P., Williams, L.J., 2009. How to compute reliability estimates and display confidence and tolerance intervals for pattern classifiers using
- the bootstrap and 3-way multidimensional scaling (DISTATIS). NeuroImage 45, 80–95. Abdi, H., Valentin, D., O'Toole, A., Edelman, B., 2005. Distatis: the analysis of multiple distance matrices. In: Proceedings of the IEEE Computer Society:
- International Conference on Computer Vision and Pattern Recognition. San Diego, CA, USA, pp. 42–47.

Abdi, H., Williams, L., 2010a. Principal component analysis. Wiley Interdiscip. Rev. Comput. Stat. 2, 433-459.

- Abdi, H., Williams, L.J., 2010b. Correspondence analysis. In: Salkind, N.J., Dougherty, D.M., Frey, B. (Eds.), Encyclopedia of Research Design. Sage, Thousand Oaks, CA, pp. 267-278.
- Abdi, H., Williams, L., Beaton, D., Posamentier, M., Harris, T., Krishnan, A., Devous Sr., M., 2012a, Analysis of regional cerebral blood flow data to discriminate among alzheimer's disease, frontotemporal dementia, and elderly controls: a multi-block barycentric discriminant analysis (MUBADA) methodology. J. Alzheimer's Dis. 31, s189-s201.
- Abdi, H., Williams, L., Connolly, A., Gobbini, M., Dunlop, J., Haxby, J., 2012b. Multiple subject barycentric discriminant analysis (MUSUBADA): how to assign scans to categories without using spatial normalization. Comput. Math. Methods Med. 2012, 1-15.
- Abdi, H., Williams, L., Valentin, D., 2013b. Multiple factor analysis: principal component analysis for multi-table and multi-block data sets. Wiley Interdiscip. Rev. Comput. Stat. 5, 149-179.
- Abdi, H., Williams, L., Valentin, D., Bennani-Dosse, M., 2012c. Statis and distatis: optimum multitable principal component analysis and three way metric multidimensional scaling. Wiley Interdiscip. Rev. Comput. Stat. 4, 124-167.

Alström, J., Alström, T., 2012. Beeradvocate.com. URL: http://beeradvocate.com/.

- Baty, F., Facompré, M., Wiegand, J., Schwager, J., Brutsche, M.H., 2006. Analysis with respect to instrumental variables for the exploration of microarray data structures. BMC Bioinformatics 7 (1), 422.
- Beaton, D., Filbey, F.M., Abdi, H., 2013. Integrating partial least squares and correspondence analysis for nominal data. In: Proceedings in Mathematics and Statistics: New perspectives in Partial Least Squares and Related Methods. Springer-Verlag, pp. 81-94.
- Bécue-Bertaut, M., Pagès, J., 2008. Multiple factor analysis and clustering of a mixture of quantitative, categorical and frequency data. Comput. Statist. Data Anal. 52 (6), 3255-3268.
- Benzécri, J., 1973. L'analyse des données. Vol. 2. Dunod, Paris.
- Benzécri, J., 1979. Sur le calcul des taux d'inertie dans l'analyse d'un questionnaire. Cah. Anal. Données 4, 377–378.
- Bookstein, F., 1994. Partial least squares: a dose-response model for measurement in the behavioral and brain sciences. Psycology 5 (23).

Borg, I., 2005. Modern Multidimensional Scaling: Theory and Applications. Springer.

- Buchsbaum, B., Lemire-Rodger, S., Fang, C., Abdi, H., 2012. The neural basis of vivid memory is patterned on perception. J. Cogn. Neurosci. 24, 1–17. Caillez, F., Pagès, J., 1976. Introduction à l'Analyse des Données. SMASH, Paris.
- Chernick, M., 2008. Bootstrap Methods: A Guide for Practitioners and Researchers. Vol. 619. Wiley-Interscience.
- Couture-Beil, A., 2013. rjson: JSON for R. R package version 0.2.12. URL: http://CRAN.R-project.org/package=rjson.
- Cuadras, C.M., Cuadras, D., Greenacre, M.J., 2006. A comparison of different methods for representing categorical data. Comm. Statist. Simulation Comput. 35 (2), 447-459.
- Dray, S., 2008. On the number of principal components: a test of dimensionality based on measurements of similarity between matrices. Comput. Statist. Data Anal. 52 (4), 2228-2237.

Dray, S., Dufour, A., 2007. The ade4 package: implementing the duality diagram for ecologists. J. Stat. Softw. 22 (4), 1–20.

Eddelbuettel, D., Sanderson, C., 2013. RcppArmadillo: accelerating R with high-performance C++ linear algebra. Comput. Statist. Data Anal. in press. URL: http://dx.doi.org/10.1016/j.csda.2013.02.005.

Efron, B., Tibshirani, R., 1993. An Introduction to the Bootstrap. Vol. 57. Chapman & Hall/CRC.

Escofier, B., 1978. Analyse factorielle et distances répondant au principe d'équivalence distributionnelle. Rev. Stat. Appl. 26 (4), 29–37.

- Escoufier, Y., 2007. Operators related to a data matrix: a survey. In: COMPSTAT: Proceedings in Computational Statistics; 17th Symposium Held in Rome, Italy, 2006. Physica-Verlag, New York, pp. 285-287.
- Esposito Vinzi, V., Russolillo, G., 2013. Partial least squares algorithms and methods. Wiley Interdiscip. Rev. Comput. Stat. 5 (1), 1–19.
- Gomez, J.C., Moens, M.-F., 2012. Pca document reconstruction for email classification. Comput. Statist. Data Anal. 56 (3), 741-751.

Google, Inc., 2013. Google Maps.

Gower, J., 1968. Adding a point to vector diagrams in multivariate analysis. Psychometrika 55, 582-585.

Greenacre, M., 1984. Theory and Applications of Correspondence Analysis. Academic Press.

Greenacre, M.J., 2007. Correspondence Analysis in Practice. CRC Press.

- Hesterberg, T., 2011, Bootstrap, Wiley Interdiscip, Rev. Comput. Stat. 3, 497–526.
- Hill, M.O., 1974. Correspondence analysis: a neglected multivariate method. J. R. Stat. Soc. Ser. C. Appl. Stat. 23 (3), 340–354.
- Husson, F., Lê, S.L., Pagès, J., 2007. Variability of the representation of the variables resulting from PCA in the case of a conventional sensory profile. Food Oual Preference 18 (7) 933-937
- Jolliffe, I., 2002. Principal Component Analysis. In: Springer Series in Statistics, Springer-Verlag, New York.
- Josse, J., Husson, F., 2011. Selecting the number of components in principal component analysis using cross-validation approximations. Comput. Statist. Data Anal
- Krishnan, A., Williams, L.L., McIntosh, A.R., Abdi, H., 2011, Partial least squares (PLS) methods for neuroimaging: a tutorial and review. NeuroImage 56 (2). 455-475. Lavit, C., Escoufier, Y., Sabatier, R., Traissac, P., 1994. The act (statis method). Comput. Statist. Data Anal. 18 (1), 97-119.
- Lê, S., Josse, J., Husson, F., et al., 2008. Factominer: an R package for multivariate analysis. J. Stat. Softw. 25 (1), 1–18.
- Lebart, L., Morineau, A., Warwick, K.M., 1984. Multivariate Descriptive Statistical Analysis: Correspondence Analysis and Related Techniques for Large Matrices. In: Wiley Series in Probability and Mathematical Statistics: Applied Probability and Statistics, Wiley.
- Le Floch, E., Guillemor, V., Frouin, V., Pinel, P., Lalanne, C., Trinchera, L., Tenenhaus, A., Moreno, A., Zilbovicius, M., Bourgeron, T., Dehaene, S., Thirion, B., Poline, J., Duchesnay, E., 2012. Significant correlation between a set of genetic polymorphisms and a functional brain network revealed by feature selection and sparse partial least squares. NeuroImage 63 (1), 11-24.
- Liang, F., 2007. Use of SVD-based probit transformation in clustering gene expression profiles. Comput. Statist. Data Anal. 51 (12), 6355–6366.
- McIntosh, A., Bookstein, F., Haxby, J., Grady, C., 1996. Spatial pattern analysis of functional brain images using partial least squares. NeuroImage 3 (3), 143-157
- McIntosh, A., Lobaugh, N., 2004. Partial least squares analysis of neuroimaging data: applications and advances. NeuroImage 23, S250-S263.

McIntosh, A.R., Mišić, B., 2013. Multivariate statistical analyses for neuroimaging data. Annu. Rev. Psychol. 64 (1), 499-525.

- Meyners, M., Castura, J.C., Thomas Carr, B., 2013. Existing and new approaches for the analysis of CATA data. Food Qual. Preference 30 (2), 309-319.
- Nenadic, O., Greenacre, M., 2007. Correspondence analysis in R, with two- and three-dimensional graphics: the ca package. J. Stat. Softw. 20 (3), 1–13. URL: http://www.jstatsoft.org.
- Oksanen, J., Blanchet, F.G., Kindt, R., Legendre, P., Minchin, P.R., O'Hara, R.B., Simpson, G.L., Solymos, P., Stevens, M.H.H., Wagner, H., 2013. vegan: community ecology package. R package version 2.0-6. URL: http://CRAN.R-project.org/package=vegan.
- Peres-Neto, P.R., Jackson, D.A., Somers, K.M., 2005. How many principal components? Stopping rules for determining the number of non-trivial axes revisited. Comput. Statist. Data Anal. 49 (4), 974-997.
- Pinkham, A.E., Sasson, N.J., Beaton, D., Abdi, H., Kohler, C.G., Penn, D.L., 2012. Qualitatively distinct factors contribute to elevated rates of paranoia in autism and schizophrenia. J. Abnormal Psychol. 121.
- Rao, C., 1995a. A review of canonical coordinates and an alternative to correspondence analysis using hellinger distance. Questiió: Quad. d'Estadística, Sistemes, Inform. Invest. Oper. 19 (1), 23-63.

Rao, C., 1995b. The use of hellinger distance in graphical displays of contingency table data. Multivariate Stat. 3, 143–161.

- R Development Core Team 2010. R: a Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria. URL: http://www.R-project.org.
- St-Laurent, M., Abdi, H., Burianová, H., Grady, C., 2011. Influence of ageing on the neural correlates of autobiographical, episodic, and semantic memory retrieval. J. Cogn. Neurosci. 23 (12), 4150-4163.
- Strother, S.C., Anderson, J., Hansen, L.K., Kjems, U., Kustra, R., Sidtis, J., Frutiger, S., Muley, S., LaConte, S., Rottenberg, D., 2002. The quantitative evaluation of functional neuroimaging experiments: the NPAIRS data analysis framework. NeuroImage 15 (4), 747-771.
- Takane, Y., Yanai, H., Hwang, H., 2006. An improved method for generalized constrained canonical correlation analysis. Comput. Statist. Data Anal. 50 (1), 221-241
- Tenenhaus, M., 1998. La régression PLS: théorie et pratique. Technip, Paris.
- Tenenhaus, M., Esposito Vinzi, V., Chatelin, Y., Lauro, C., 2005. Pls path modeling. Comput. Statist. Data Anal. 48 (1), 159-205.
- Thioulouse, J., 2011. Simultaneous analysis of a sequence of paired ecological tables: a comparison of several method. Ann. Appl. Stat. 5, 2300–2325.
- Torgerson, W., 1958. Theory and Methods of Scaling. Wiley, New York.
- Tucker, L.R., 1958. An inter-battery method of factor analysis. Psychometrika 23 (2), 111-136.
- Tuncer, Y., Tanik, M.M., Allison, D.B., 2008. An overview of statistical decomposition techniques applied to complex systems. Comput. Statist. Data Anal. 52 (5), 2292-2310.
- Williams, L., Abdi, H., French, R., Orange, J., 2010. A tutorial on multi-block discriminant correspondence analysis (MUDICA): a new method for analyzing discourse data from clinical populations. J. Speech, Lang. Hearing Res. 53, 1372-1393.

Williams, L., Dunlop, J., Abdi, H., 2012. Effect of age on variability in the production of text-based global inferences. PLoS One 7 (5).

Wold, S., Ruhe, A., Wold, H., Dunn III, W., 1984. The collinearity problem in linear regression. the partial least squares (PLS) approach to generalized inverses. SIAM J. Sci. Stat. Comput. 5 (3), 735-743.

Yanai, H., Takeuchi, K., Takane, Y., 2011. Projection Matrices, Generalized Inverse Matrices, and Singular Value Decomposition. Springer-Verlag, New York.